SEALTEC AG

SEALTEC 1060

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

1. Identification of the substa	nce/mixture and of the co	ompany/undertaking
1.1 Product identifier		
Product name :	SEALTEC 1060	
1.2 Relevant identified uses o	f the substance or mixture a	and uses advised against
Relevant identified uses :	Adhesives, binding agents	
Uses advised against :	No additional information availa	ble
1.3 Details of the supplier of t	he safety data sheet	
Manufacturer :	SEALTEC AG	
Address :	Aegeristrasse 50, CH-6300 Zug, Sw	itzerland
Tel :	+41 79 402 62 22	
E-mail :	info@sealtec.ch	
1.4 Emergency telephone nur	nber	
Tel : +41 79 4	02 62 22	
2. Hazards identification		
2.1 Classification of the subs	tance or mixture	
Classification according to	Regulation (EC) No. 1272/2008	[CLP]
Skin corrosion/irritation, Ca	tegory 2	H315
Serious eye damage/eye ir		H319
Specific target organ toxicit	-	H335
Single exposure, Category Full text of H statements : so	3, Respiratory tract irritation	
	numan health and environment	al effects
	duct does not present any particu	lar risk, provided it is handled in accordance with good
2.2 Label elements		
Labelling according to Regula	tion (EC) No. 1272/2008 [CLP]	
Hazard pictograms (CLP) :	GHS-07	
Signal word (CLP) :	Warning	
Hazardous ingredients :	Ethyl 2-cyanoacrylate	
Hazard statements (CLP) :	H315 - Causes skin irri	
	H319 - Causes serious	-
	H335 - May cause resp	piratory irritation.



Revision: 21380 EN003 Revision Date: April 5, 2020

SEALTEC 1	060
-----------	-----

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Precautionary statements (CLP) :	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement (Response) [CLP] :	 P302+P352 - IF ON SKIN: Wash with plenty of water. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTRE or doctor if you feel unwell. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.
Precautionary Statement (Storage) [CLP] :	P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up.
Precautionary Statement (Disposal) [CLP] :	P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements	 EUH202 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. EUH208 - Contains HYDROQUINONE(123-31-9). May produce an allergic reaction.

2.3 Other hazards

No additional information available

3. Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ETHYL-2-CYANOACRYLATE	(CAS No.) 7085-85-0	70 - 100	Skin Irrit. 2, H315
	(EC No.) 230-391-5		Eye Irrit. 2, H319
	(EC Index-No.) 607-236-00-9		STOT SE 3, H335
HYDROQUINONE	(CAS No.) 123-31-9	<= 0.1	Acute Tox. 4 (Oral), H302
	(EC No.) 204-617-8		Eye Dam. 1, H318
	(EC Index-No.) 604-005-00-4		Skin Sens. 1, H317
			Muta. 2, H341
			Carc. 2, H351
			Aquatic Acute 1, H400 (M=10)

SEALTEC AG

SEALTEC 1060

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Specific concentration limits					
Name	Product identifier	Specific concentration limits			
ETHYL-2-CYANOACRYLATE	(CAS No.) 7085-85-0 (EC No.) 230-391-5 (EC Index-No.) 607-236-00-9	(C >= 10) STOT SE 3, H335			
Full text of H-statements: see section	16				

4. First aid measures

	<u>i an </u>	
4.1 Description of first aid measures		
First-aid measures general	:	Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	:	Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	:	Call a poison center or a doctor if you feel unwell.
4.2 Most important symptoms and effe	cts,	both acute and delayed

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

5. Firefighting measures		
5.1 Extinguishing media		
Suitable extinguishing media	:	Water spray. Dry powder. Foam. Carbon dioxide.
5.2 Special hazards arising from the su	ubs	stance or mixture
Hazardous decomposition products in case of fire	:	Toxic fumes may be released.
5.3 Advice for firefighters		
Protection during firefighting	:	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
6. Accidental release measures		
6.1 Personal precautions, protective e	qui	pment and emergency procedures
6.1.1 For non-emergency personnel		
Emergency procedures	:	Avoid breathing dust/fume/gas/mist/vapours/spray.



SEALTEC 1060

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

6.1.2 For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment.
.2 Environmental precautions	
Avoid release to the environment.	
.3 Methods and material for conta	ainment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.
.4 Reference to other sections	
For further information refer to section	on 13.
or further information refer to	
or further information refer to	section 13. : Use only outdoors or in a well-ventilated area.
or further information refer to .1 Precautions for safe handling	section 13. : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray.
or further information refer to .1 Precautions for safe handling	section 13. : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
or further information refer to .1 Precautions for safe handling	section 13. : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray.
for further information refer to .1 Precautions for safe handling Precautions for safe handling	section 13. : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
or further information refer to .1 Precautions for safe handling	section 13. : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
for further information refer to .1 Precautions for safe handling Precautions for safe handling	 section 13. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. Wash contaminated clothing before reuse.
for further information refer to .1 Precautions for safe handling Precautions for safe handling	 section 13. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.
for further information refer to .1 Precautions for safe handling Precautions for safe handling	 section 13. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
For further information refer to .1 Precautions for safe handling Precautions for safe handling Hygiene measures	 section 13. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.3 Specific end use(s)

No additional information available

8. Exposure controls/personal protection					
8.1 Control parameters					
Ethyl Cyanoacrylate					
WEL TWA (mg/m ³)	WEL STEL (mg/m ³)	WEL STEL (ppm)	Regulatory reference		
0.5 mg/m ³	1.5 mg/m ³	0.3 ppm	EH40/2005 (Third edition, 2018). HSE		

8.2 Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

SEALTEC AG

SEALTEC 1060

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Hand protection	: protective gloves.
Eye protection	: Safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
Environmental exposure controls	: Avoid release to the environment.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties				
Physical state	:	Liquid		
Appearance	:	Clear, colorless liquid		
Colour	:	Pale yellow		
Odour	:	sharp. Irritating		
Odour threshold	:	No data available		
pH	:	Not applicable		
Relative evaporation rate (butylacetate=1)	:	No data available		
Melting point	:	-22°C		
Freezing point	:	No data available		
Boiling point	:	> 200°C		
Flash point	:	80-93.4°C (Method: Tag closed Cup)		
Auto-ignition temperature	:	485°C		
Decomposition temperature	:	Not applicable		
Flammability (solid, gas)	:	Not applicable		
Vapour pressure	:	Less than 0.2 mmHg		
Relative vapour density at 20 °C	:	3		
Relative density	:	1.1 g/cm ³		
Solubility	:	Polymerizes in presence of water		
Log Pow	:	Not applicable		
Viscosity, kinematic	:	No data available		
Viscosity, dynamic	:	80~150 cPs		
Explosive properties	:	Product is not explosive		
Oxidising properties	:	Product is not oxidizing		
Explosive limits	:	Product is not explosive		

9.2 Other information

No additional information available

10. Stability and reactivity

10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2 Chemical stability

Aegeristrasse 50 CH-6300 Zug/Switzerland



SEALTEC 1060

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4 Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5 Incompatible materials

No additional information available

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on toxicological effects		
Acute toxicity (oral)	:	Not classified
Acute toxicity (dermal)	:	Not classified
Acute toxicity (inhalation)	:	Not classified
Skin corrosion/irritation	:	Causes skin irritation
Serious eye damage/irritation	:	Causes serious eye irritation
Respiratory or skin sensitisation	:	Causes serious eye irritation
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
STOT-single exposure	:	May cause respiratory irritation
STOT-repeated exposure	:	Not classified
Aspiration hazard	:	Not classified

12. Ecological information

12.1 Toxicity

 ····,			
Ecology - general	:	The product is not considered harmful to aquatic organisms nor to cause long-	
		term adverse effects in the environment.	
Acute aquatic toxicity	:	Not classified	
Chronic aquatic toxicity	:	Not classified	

12.2 Persistence and degradability

No additional information available

12.3 Bioaccumulative potential

No additional information available

12.4 Mobility in soil

Aegeristrasse 50 CH-6300 Zug/Switzerland



SEALTEC 1060

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

No additional information available

No additional information availa	ble				
19.6 Other advarge offects					
2.6 Other adverse effects					
No additional information availa	Die				
Disposal considerations					
Waste treatment methods	: Dispose of contents/containe sorting instructions	r in accordance with licensed collec			
Transport information					
ADR	IMDG	IATA			
14.1 UN number					
3334	3334	3334			
5551		555			
14.2 UN proper shipping name					
Not dangerous goods	Not dangerous goods	Aviation regulated liquid, n.o.s. (Cyanoacrylate)			
4.3 Transport hazard class(es)					
Not applicable					
	V	×			
4.4 Packing group					
Not applicable	Not applicable	Π			
4.5 Environmental hazards					
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No			
4.6 Special precautions for use	r				
Overland transport (ADR)					
Transport regulations	: Not subject				
	: M11				
Classification code					
EAC code	: 2Z				

SEXLTEC AG

SEALTEC 1060

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Properties and observations	: Not subject to the provisions of this Coo	le
Air transport (IATA)		
PCA Excepted quantities	E1	
PCA Limited quantities	Y964	
PCA limited quantity max net quantity	30kg	
PCA packing instructions	964	
PCA max net quantity	100L	
CAO packing instructions	964	
CAO max net quantity	220L	
Special provisions	A27	
ERG code	9A	

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2 National regulations

No additional information available

15.2 Chemical safety assessment

No chemical safety assessment has been carried out

16. Other information

Full text of H- and EUH-statemer	nts:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Carc. 2	Carcinogenicity, Category 2	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Muta. 2	Germ cell mutagenicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction	
Eye Irrit. 2 Muta. 2 Skin Irrit. 2 Skin Sens. 1 STOT SE 3 H302 H315	Serious eye damage/eye irritation, Category 1 Serious eye damage/eye irritation, Category 2 Germ cell mutagenicity, Category 2 Skin corrosion/irritation, Category 2 Skin sensitisation, Category 1 Specific target organ toxicity — Single exposure, Category 3, Respiratory irritation Harmful if swallowed. Causes skin irritation.	



Revision: 21380 EN003 Revision Date: April 5, 2020

SEALTEC 1060

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

		Causes serious eye damage.
		Causes serious eye irritation.
Н335		May cause respiratory irritation.
H341		Suspected of causing genetic defects
H351		Suspected of causing cancer.
H400		Very toxic to aquatic life.
EUH202		Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
EUH208		Contains HYDROQUINONE(123-31-9). May produce an allergic reaction.
Manufacturer:	SEALTEC A Aegeristrass	AG e 50, CH-6300 Zug, Switzerland
Document create date:	ocument create date: April 5, 2020	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.