

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Revision: 21380 EN003 Revision Date: April 4, 2020

www.sealtec.ch

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: SEALTEC 1158

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Adhesives, binding agents

Uses advised against : No additional information available

1.3 Details of the supplier of the safety data sheet

Manufacturer: SEALTEC AG

Address: Aegeristrasse 50, CH-6300 Zug, Switzerland

Tel: +41 79 402 62 22 E-mail: info@sealtec.ch

1.4 Emergency telephone number

Tel: +41 79 402 62 22

2. Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Specific target organ toxicity — H335

Single exposure, Category 3, Respiratory tract irritation

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP):

GHS-07

Signal word (CLP): Warning

Hazardous ingredients : Ethyl 2-cyanoacrylate H315 - Causes skin irritation. Hazard statements (CLP):

H319 - Causes serious eye irritation.

H335 - May cause respiratory irritation.



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Revision: 21380 EN003 Revision Date: April 4, 2020

Precautionary statements (CLP): P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face

protection.

Precautionary Statement (Response)

[CLP]:

P302+P352 - IF ON SKIN: Wash with plenty of water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable

for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P312 - Call a POISON CENTRE or doctor if you feel unwell.
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

Precautionary Statement (Storage)

[CLP]:

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

Precautionary Statement (Disposal)

[CLP]:

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international

regulation.

EUH-statements EUH202 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out

of the reach of children.

EUH208 - Contains HYDROQUINONE(123-31-9). May produce an allergic

reaction.

2.3 Other hazards

No additional information available

3. Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ETHYL-2-CYANOACRYLATE	(CAS No.) 7085-85-0	70 - 100	Skin Irrit. 2, H315
	(EC No.) 230-391-5		Eye Irrit. 2, H319
	(EC Index-No.) 607-236-00-9		STOT SE 3, H335
HYDROQUINONE	(CAS No.) 123-31-9	<= 0.1	Acute Tox. 4 (Oral), H302
	(EC No.) 204-617-8		Eye Dam. 1, H318
	(EC Index-No.) 604-005-00-4		Skin Sens. 1, H317
			Muta. 2, H341
			Carc. 2, H351
			Aquatic Acute 1, H400 (M=10)



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Revision: 21380 EN003 Revision Date: April 4, 2020

www.sealtec.ch

Specific concentration limits		
Name	Product identifier	Specific concentration limits
ETHYL-2-CYANOACRYLATE	(CAS No.) 7085-85-0 (EC No.) 230-391-5	(C >= 10) STOT SE 3, H335
Full text of H-statements: see section	(EC Index-No.) 607-236-00-9	

4. First aid measures

4.1 Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Take off contaminated clothing. If skin irritation occurs: Get medical

advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Irritation.
Symptoms/effects after eye contact : Eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products in : Toxic fumes may be released.

case of fire

5.3 Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

Self-contained breathing apparatus. Complete protective clothing.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Emergency procedures : Avoid breathing dust/fume/gas/mist/vapours/spray.

Aegeristrasse 50Tel.+41 79 402 62 22CH-6300 Zug/Switzerlande-mail:info@sealtec.ch



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Revision: 21380 EN003 Revision Date: April 4, 2020

www.sealtec.ch

6.1.2 For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4 Reference to other sections

For further information refer to section 13.

7. For further information refer to section 13.

7.1 Precautions for safe handling

Precautions for safe handling : Use only outdoors or in a well-ventilated area.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse.

Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place.

Keep container tightly closed. Keep cool.

7.3 Specific end use(s)

No additional information available

8. Exposure controls/personal protection

8.1 Control parameters

Ethyl Cyanoacrylate

WEL TWA (mg/m³)	WEL STEL (mg/m³)	WEL STEL (ppm)	Regulatory reference
0.5 mg/m ³	1.5 mg/m ³	0.3 ppm	EH40/2005 (Third edition, 2018). HSE

8.2 Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Aegeristrasse 50Tel.+41 79 402 62 22CH-6300 Zug/Switzerlande-mail:info@sealtec.ch



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Revision: 21380 EN003 Revision Date: April 4, 2020

www.sealtec.ch

Hand protection protective gloves. Eye protection Safety glasses.

Skin and body protection Wear suitable protective clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Environmental exposure controls Avoid release to the environment.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid Appearance Black liquid Colour Black

Odour sharp. Irritating Odour threshold No data available рΗ Not applicable Relative evaporation rate (butylacetate=1) No data available

-22°C Melting point

Freezing point No data available

Boiling point > 200°C

Flash point 80-93.4°C (Method: Tag closed Cup)

485°C Auto-ignition temperature

Decomposition temperature Not applicable Flammability (solid, gas) Not applicable Vapour pressure Less than 0.2 mmHg

Relative vapour density at 20 °C 3

Relative density 1.1 g/cm³

Solubility Polymerizes in presence of water

Log Pow Not applicable No data available Viscosity, kinematic Viscosity, dynamic 100~200 cPs

Explosive properties Product is not explosive Oxidising properties Product is not oxidizing Explosive limits Product is not explosive

9.2 Other information

No additional information available

10. Stability and reactivity

10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2 Chemical stability



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Revision: 21380 EN003 Revision Date: April 4, 2020

www.sealtec.ch

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4 Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5 Incompatible materials

No additional information available

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on toxicological effects

Not classified Acute toxicity (oral) Not classified Acute toxicity (dermal) Acute toxicity (inhalation) Not classified Skin corrosion/irritation Causes skin irritation Serious eye damage/irritation Causes serious eye irritation Respiratory or skin sensitisation Causes serious eye irritation Germ cell mutagenicity Not classified

Carcinogenicity Not classified Reproductive toxicity Not classified

STOT-single exposure May cause respiratory irritation

STOT-repeated exposure Not classified Aspiration hazard Not classified

12. Ecological information

12.1 Toxicity

Ecology - general The product is not considered harmful to aquatic organisms nor to cause long-

term adverse effects in the environment.

Not classified Acute aquatic toxicity Chronic aquatic toxicity Not classified

12.2 Persistence and degradability

No additional information available

12.3 Bioaccumulative potential

No additional information available

12.4 Mobility in soil

Aegeristrasse 50 +41 79 402 62 22 Tel. info@sealtec.ch e-mail:

CH-6300 Zug/Switzerland



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Revision: 21380 EN003 Revision Date: April 4, 2020

No additional information available

12.5 Results of PBT and vPvB assessment

No additional information available

12.6 Other adverse effects

No additional information available

13. Disposal considerations

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's

sorting instructions

14. Transport information

ADR	IMDG	IATA
14.1 UN number		
3334	3334	3334

14.2 UN proper shipping name

Not dangerous goods

Not dangerous goods

Aviation regulated liquid, n.o.s. (Cyanoacrylate)

14.3 Transport hazard class(es)

Not applicable





14.4 Packing group

Not applicable

Not applicable

Ш

14.5 Environmental hazards

Dangerous for the environment: No

Dangerous for the environment : No Marine pollutant : No

Dangerous for the environment: No

14.6 Special precautions for user

$Overland\ transport\ (ADR)$

Transport regulations : Not subject
Classification code : M11
EAC code : 2Z

Transport by sea (IMDG)

Special provisions : 960 Stowage category : None



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Revision: 21380 EN003 Revision Date: April 4, 2020

Properties and observations : Not subject to the provisions of this Code

Air transport (IATA)

E1 PCA Excepted quantities PCA Limited quantities Y964 PCA limited quantity max net quantity 30kg PCA packing instructions 964 PCA max net quantity 100L CAO packing instructions 964 CAO max net quantity 220L Special provisions A27 ERG code 9A

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2 National regulations

No additional information available

15.2 Chemical safety assessment

No chemical safety assessment has been carried out

16. Other information	
Full text of H- and EUH-state	ements:
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed.
H315	Causes skin irritation.
Н317	May cause an allergic skin reaction

Tel.



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Revision: 21380 EN003 Revision Date: April 4, 2020

H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects H351 Suspected of causing cancer. H400 Very toxic to aquatic life. EUH202 Cyanoacrylate, Danger, Bonds skin and eyes in seconds, Keep out of the reach		
H335 May cause respiratory irritation. H341 Suspected of causing genetic defects H351 Suspected of causing cancer. H400 Very toxic to aquatic life.	H318	Causes serious eye damage.
H341 Suspected of causing genetic defects H351 Suspected of causing cancer. H400 Very toxic to aquatic life.	Н319	Causes serious eye irritation.
H351 Suspected of causing cancer. H400 Very toxic to aquatic life.	Н335	May cause respiratory irritation.
H400 Very toxic to aquatic life.	H341	Suspected of causing genetic defects
7 1	H351	Suspected of causing cancer.
EUH202 Cyanoacrylate, Danger, Bonds skin and eyes in seconds. Keep out of the reach	H400	Very toxic to aquatic life.
children.	EUH202	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of
EUH208 Contains HYDROQUINONE(123-31-9). May produce an allergic reaction.	FUH208	

Manufacturer: SEALTEC AG

Aegeristrasse 50, CH-6300 Zug, Switzerland

Document create date: April 4, 2020

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Tel.