# SEALTEC AG

## SEALTEC 1290

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

.1 Product identifier	
Product name :	SEALTEC 1290
.2 Relevant identified uses	s of the substance or mixture and uses advised against
Relevant identified uses :	Adhesives, binding agents
Uses advised against :	No additional information available
.3 Details of the supplier of	of the safety data sheet
Manufacturer :	SEALTEC AG
Address	Aegeristrasse 50, CH-6300 Zug, Switzerland
Tel :	+41 79 402 62 22
E-mail :	info@sealtec.ch
.4 Emergency telephone n	umber
Tel : +41 79	9 402 62 22
lazards identification	
.1 Classification of the sul	ostance or mixture
Classification according	to Regulation (EC) No. 1272/2008 [CLP]
Skin corrosion/irritation,	Category 2 H315
Serious eye damage/eye	
Specific target organ tox	- HYYS
Full text of H statements	bry 3, Respiratory tract irritation
To our knowledge, this p	I, human health and environmental effects product does not present any particular risk, provided it is handled in accordance with g
occupational hygiene an	u salety practice.
.2 Label elements	
Labelling according to Reg	ulation (EC) No. 1272/2008 [CLP]
	ulation (EC) No. 1272/2008 [CLP] GHS-07
Labelling according to Reg	
Labelling according to Reg Hazard pictograms (CLP) :	GHS-07



Revision: 21380 EN003 Revision Date: April 5, 2020

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Precautionary statements (CLP) :	<ul> <li>P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</li> </ul>
Precautionary Statement (Response) [CLP] :	<ul> <li>P302+P352 - IF ON SKIN: Wash with plenty of water.</li> <li>P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P312 - Call a POISON CENTRE or doctor if you feel unwell.</li> <li>P332+P313 - If skin irritation occurs: Get medical advice/attention.</li> <li>P337+P313 - If eye irritation persists: Get medical advice/attention.</li> <li>P362+P364 - Take off contaminated clothing and wash it before reuse.</li> </ul>
Precautionary Statement (Storage) [CLP] :	P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up.
Precautionary Statement (Disposal) [CLP] :	P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements	<ul> <li>EUH202 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.</li> <li>EUH208 - Contains HYDROQUINONE(123-31-9). May produce an allergic reaction.</li> </ul>

## 2.3 Other hazards

No additional information available

### 3. Composition/information on ingredients

#### 3.1 Substances

Not applicable

## 3.2 Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ETHYL-2-CYANOACRYLATE	(CAS No.) 7085-85-0 (EC No.) 230-391-5	70 - 100	Skin Irrit. 2, H315 Eye Irrit. 2, H319
	(EC Index-No.) 607-236-00-9		STOT SE 3, H335
HYDROQUINONE	(CAS No.) 123-31-9 (EC No.) 204-617-8 (EC Index-No.) 604-005-00-4	<= 0.1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351 Aquatic Acute 1, H400 (M=10)

## SEALTEC AG

## SEALTEC 1290

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Specific concentration limits					
Name	Product identifier	Specific concentration limits			
ETHYL-2-CYANOACRYLATE	(CAS No.) 7085-85-0 (EC No.) 230-391-5 (EC Index-No.) 607-236-00-9	(C >= 10) STOT SE 3, H335			
Full text of H-statements: see section 16					

4. First aid measures

4.1 Description of first aid measures		
First-aid measures general	:	Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	:	Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	:	Call a poison center or a doctor if you feel unwell.
4.2 Most important symptoms and effects, both acute and delayed		

: May cause respiratory irritation.
: Irritation.
: Eye irritation.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

5. Firefighting measures				
5.1 Extinguishing media				
Suitable extinguishing media	:	Water spray. Dry powder. Foam. Carbon dioxide.		
5.2 Special hazards arising from the su	ubs	stance or mixture		
Hazardous decomposition products in case of fire	:	Toxic fumes may be released.		
5.3 Advice for firefighters				
Protection during firefighting	:	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		
6. Accidental release measures				
6.1 Personal precautions, protective equipment and emergency procedures				
6.1.1 For non-emergency personnel				
Emergency procedures	:	Avoid breathing dust/fume/gas/mist/vapours/spray.		



## SEALTEC 1290

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

6.1.2 For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment.
2 Environmental precautions	
Avoid release to the environment.	
.3 Methods and material for conta	ainment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.
4 Reference to other sections	
For further information refer to section	on 12
	01115.
or further information refer to	
or further information refer to	section 13. : Use only outdoors or in a well-ventilated area.
or further information refer to 1 Precautions for safe handling	section 13. : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray.
or further information refer to 1 Precautions for safe handling	section 13. : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
or further information refer to 1 Precautions for safe handling	section 13. : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray.
or further information refer to <b>1 Precautions for safe handling</b> Precautions for safe handling	section 13. : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
or further information refer to 1 Precautions for safe handling	section 13. : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. : Wash contaminated clothing before reuse.
or further information refer to <b>1 Precautions for safe handling</b> Precautions for safe handling	section 13. : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
or further information refer to <b>1 Precautions for safe handling</b> Precautions for safe handling	<ul> <li>section 13.</li> <li>: Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.</li> <li>: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.</li> </ul>
or further information refer to <b>1 Precautions for safe handling</b> Precautions for safe handling	<ul> <li>section 13.</li> <li>Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.</li> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
or further information refer to <b>1 Precautions for safe handling</b> Precautions for safe handling Hygiene measures	<ul> <li>section 13.</li> <li>Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.</li> <li>Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>

## 7.3 Specific end use(s)

No additional information available

8. Exposure controls/personal protection						
8.1 Control parameters						
Ethyl Cyanoacrylate						
WEL TWA (mg/m <sup>3</sup> )	WEL STEL (mg/m <sup>3</sup> )	WEL STEL (ppm)	Regulatory reference			
0.5 mg/m <sup>3</sup>	1.5 mg/m <sup>3</sup>	0.3 ppm	EH40/2005 (Third edition, 2018). HSE			

## 8.2 Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

## SEALTEC AG

## SEALTEC 1290

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Hand protection	: protective gloves.
Eye protection	: Safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
Environmental exposure controls	: Avoid release to the environment.

## 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties				
Physical state	:	Liquid		
Appearance	:	Clear, colorless liquid		
Colour	:	Pale yellow		
Odour	:	sharp. Irritating		
Odour threshold	:	No data available		
pH	:	Not applicable		
Relative evaporation rate (butylacetate=1)	:	No data available		
Melting point	:	-22°C		
Freezing point	:	No data available		
Boiling point	:	> 200°C		
Flash point	:	80-93.4°C (Method: Tag closed Cup)		
Auto-ignition temperature	:	485°C		
Decomposition temperature	:	Not applicable		
Flammability (solid, gas)	:	Not applicable		
Vapour pressure	:	Less than 0.2 mmHg		
Relative vapour density at 20 °C	:	3		
Relative density	:	1.1 g/cm <sup>3</sup>		
Solubility	:	Polymerizes in presence of water		
Log Pow	:	Not applicable		
Viscosity, kinematic	:	No data available		
Viscosity, dynamic	:	3500~8500 cPs		
Explosive properties	:	Product is not explosive		
Oxidising properties	:	Product is not oxidizing		
Explosive limits	:	Product is not explosive		

#### 9.2 Other information

No additional information available

## 10. Stability and reactivity

#### 10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2 Chemical stability

Aegeristrasse 50 CH-6300 Zug/Switzerland



SEALTEC 1290

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4 Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### **10.5 Incompatible materials**

No additional information available

#### **10.6 Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. Toxicological information

Information on toxicological effects		
Acute toxicity (oral)	:	Not classified
Acute toxicity (dermal)	:	Not classified
Acute toxicity (inhalation)	:	Not classified
Skin corrosion/irritation	:	Causes skin irritation
Serious eye damage/irritation	:	Causes serious eye irritation
Respiratory or skin sensitisation	:	Causes serious eye irritation
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
STOT-single exposure	:	May cause respiratory irritation
STOT-repeated exposure	:	Not classified
Aspiration hazard	:	Not classified

## 12. Ecological information

#### 12.1 Toxicity

 · · · · · · · · · · · · · · · · · · ·		
Ecology - general	:	The product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment.
Acute aquatic toxicity	:	Not classified
Chronic aquatic toxicity	:	Not classified

#### 12.2 Persistence and degradability

No additional information available

## 12.3 Bioaccumulative potential

No additional information available

## 12.4 Mobility in soil

Aegeristrasse 50 CH-6300 Zug/Switzerland



SEALTEC 1290

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

No additional information available

No additional information availa	able							
2.6 Other adverse effects	2.6 Other adverse effects							
No additional information availa	able							
Disposal considerations								
Waste treatment methods	: Dispose of contents/container sorting instructions	r in accordance with licensed collec						
Transport information								
ADR	IMDG	IATA						
4.1 UN number								
3334	3334	3334						
5554	5554	5554						
4.2 UN proper shipping name								
Not dangerous goods	Not dangerous goods	Aviation regulated liquid, n.o.s. (Cyanoacrylate)						
4.3 Transport hazard class(es)								
Not applicable								
4.4 Packing group		· ·						
Not applicable	Not applicable	Π						
	Not applicable	<u> </u>						
4.5 Environmental hazards								
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No						
4.6 Special precautions for use	er							
<b>Overland transport (ADR)</b>								
Transport regulations	: Not subject							
Classification code	: M11							
EAC code	: 2Z							
Transport by sea (IMDG)								
Special provisions	: 960							
Special provisions	. ,							

## SEXLTEC AG

## SEALTEC 1290

### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Properties and observations	: Not subject to the provisions of this Code
Air transport (IATA)	
PCA Excepted quantities	E1
PCA Limited quantities	Y964
PCA limited quantity max net quantity	30kg
PCA packing instructions	964
PCA max net quantity	100L
CAO packing instructions	964
CAO max net quantity	220L
Special provisions	A27
ERG code	9A

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## 15. Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1 EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### 15.1.2 National regulations

No additional information available

#### 15.2 Chemical safety assessment

No chemical safety assessment has been carried out

## 16. Other information

Full text of H- and EUH-statemer	Full text of H- and EUH-statements:			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1			
Carc. 2	Carcinogenicity, Category 2			
Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Muta. 2	Germ cell mutagenicity, Category 2			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
Skin Sens. 1	Skin sensitisation, Category 1			
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation			
H302	Harmful if swallowed.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction			
Eye Irrit. 2 Muta. 2 Skin Irrit. 2 Skin Sens. 1 STOT SE 3 H302 H315	Serious eye damage/eye irritation, Category 1         Serious eye damage/eye irritation, Category 2         Germ cell mutagenicity, Category 2         Skin corrosion/irritation, Category 2         Skin sensitisation, Category 1         Specific target organ toxicity — Single exposure, Category 3, Respiratory irritation         Harmful if swallowed.         Causes skin irritation.			



#### Revision: 21380 EN003 Revision Date: April 5, 2020

## SEALTEC 1290

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

H318		Causes serious eye damage.
H319		Causes serious eye irritation.
H335		May cause respiratory irritation.
H341		Suspected of causing genetic defects
H351		Suspected of causing cancer.
H400		Very toxic to aquatic life.
EUH202		Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
EUH208		Contains HYDROQUINONE(123-31-9). May produce an allergic reaction.
Manufacturer:       SEALTEC AG         Aegeristrasse 50, CH-6300 Zug, Switzerland         Document create date:       April 5, 2020		
		)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.