SEALTEC AG

SEALTEC 1291

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

.2 Relevant identified uses of the Relevant identified uses : A Uses advised against : N .3 Details of the supplier of the Manufacturer : SE Address : A Tel : +4 E-mail : in	EALTEC AG egeristrasse 50, CH-6300 Zug, Switzerland 41 79 402 62 22 ifo@sealtec.ch
Relevant identified uses : A Uses advised against : N 3 Details of the supplier of the Manufacturer : St Address : A Tel : +4 E-mail : in	dhesives, binding agents lo additional information available e safety data sheet EALTEC AG egeristrasse 50, CH-6300 Zug, Switzerland 41 79 402 62 22 ifo@sealtec.ch
Uses advised against : N .3 Details of the supplier of the Manufacturer : SE Address : Aa Tel : +4 E-mail : in .4 Emergency telephone numb	lo additional information available e safety data sheet EALTEC AG egeristrasse 50, CH-6300 Zug, Switzerland 41 79 402 62 22 ifo@sealtec.ch per
3 Details of the supplier of the Manufacturer : SE Address : Ad Tel : +4 E-mail : in	e safety data sheet EALTEC AG egeristrasse 50, CH-6300 Zug, Switzerland 41 79 402 62 22 ifo@sealtec.ch
Manufacturer : SF Address : Ad Tel : +4 E-mail : in	EALTEC AG egeristrasse 50, CH-6300 Zug, Switzerland 41 79 402 62 22 ifo@sealtec.ch
Address : Ar Tel : +4 E-mail : in Address : Ar Address	egeristrasse 50, CH-6300 Zug, Switzerland 41 79 402 62 22 Ifo@sealtec.ch
Tel : +4 E-mail : in .4 Emergency telephone numb	41 79 402 62 22 ifo@sealtec.ch
E-mail : in .4 Emergency telephone numb	fo@sealtec.ch er
4 Emergency telephone numb	er
Tel : +41 79 402 6	
	62 22
lazards identification	
.1 Classification of the substar	nce or mixture
Classification according to Re	gulation (EC) No. 1272/2008 [CLP]
Skin corrosion/irritation, Categ	gory 2 H315
Serious eye damage/eye irrita	
Specific target organ toxicity –	H'4'45
Single exposure, Category 3, Full text of H statements : see	
	nan health and environmental effects
	ct does not present any particular risk, provided it is handled in accordance with
.2 Label elements	
Labelling according to Regulation	n (EC) No. 1272/2008 [CLP]
Hazard pictograms (CLP) :	\wedge
	GHS-07
Signal word (CLP) :	Warning
Hazardous ingredients :	Ethyl 2-cyanoacrylate
Hazard statements (CLP) :	H315 - Causes skin irritation.



Revision: 21380 EN003 Revision Date: April 5, 2020

SEALTEC 1291

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Precautionary statements (CLP) :	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement (Response) [CLP] :	 P302+P352 - IF ON SKIN: Wash with plenty of water. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTRE or doctor if you feel unwell. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.
Precautionary Statement (Storage) [CLP] :	P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up.
Precautionary Statement (Disposal) [CLP] :	P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements	 EUH202 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. EUH208 - Contains HYDROQUINONE(123-31-9). May produce an allergic reaction.

2.3 Other hazards

No additional information available

3. Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ETHYL-2-CYANOACRYLATE	(CAS No.) 7085-85-0 (EC No.) 230-391-5	70 - 100	Skin Irrit. 2, H315 Eye Irrit. 2, H319
	(EC Index-No.) 607-236-00-9		STOT SE 3, H335
HYDROQUINONE	(CAS No.) 123-31-9 (EC No.) 204-617-8 (EC Index-No.) 604-005-00-4	<= 0.1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351 Aquatic Acute 1, H400 (M=10)

SEALTEC AG

SEALTEC 1291

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Specific concentration limits					
Name	Product identifier	Specific concentration limits			
ETHYL-2-CYANOACRYLATE	(CAS No.) 7085-85-0 (EC No.) 230-391-5 (EC Index-No.) 607-236-00-9	(C >= 10) STOT SE 3, H335			
Full text of H-statements: see section	16				

4. First aid measures

4.1 Description of first aid measures		
First-aid measures general	:	Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	:	Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	:	Call a poison center or a doctor if you feel unwell.
4.2 Most important symptoms and effe	ects.	both acute and delayed

: May cause respiratory irritation.
: Irritation.
: Eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

5. Firefighting measures				
5.1 Extinguishing media				
Suitable extinguishing media	:	Water spray. Dry powder. Foam. Carbon dioxide.		
5.2 Special hazards arising from the su	ubs	stance or mixture		
Hazardous decomposition products in case of fire	:	Toxic fumes may be released.		
5.3 Advice for firefighters				
Protection during firefighting	:	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		
6. Accidental release measures				
6.1 Personal precautions, protective equipment and emergency procedures				
6.1.1 For non-emergency personnel				
Emergency procedures	:	Avoid breathing dust/fume/gas/mist/vapours/spray.		



SEALTEC 1291

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

6.1.2 For emergency responders	S
Protective equipment	: Do not attempt to take action without suitable protective equipment.
6.2 Environmental precautions	
Avoid release to the environment.	
6.3 Methods and material for con	ntainment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4 Reference to other sections	
For further information refer to sec	ntion 13
For further mormation refer to sec	Suori ro.
. For further information refer to	
	o section 13.
. For further information refer t	o section 13. : Use only outdoors or in a well-ventilated area.
. For further information refer to 7.1 Precautions for safe handling	o section 13. : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray.
. For further information refer to 7.1 Precautions for safe handling	o section 13. : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
. For further information refer to 7.1 Precautions for safe handling	o section 13. : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray.
. For further information refer to 7.1 Precautions for safe handling	o section 13. : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. : Wash contaminated clothing before reuse.
. For further information refer to 7.1 Precautions for safe handling Precautions for safe handling	 o section 13. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.
. For further information refer to 7.1 Precautions for safe handling Precautions for safe handling	o section 13. : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. : Wash contaminated clothing before reuse.
. For further information refer to 7.1 Precautions for safe handling Precautions for safe handling Hygiene measures	 o section 13. : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
. For further information refer to 7.1 Precautions for safe handling Precautions for safe handling	 o section 13. : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment. : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.3 Specific end use(s)

No additional information available

8. Exposure controls/personal protection						
8.1 Control parameters						
Ethyl Cyanoacrylate						
WEL TWA (mg/m ³)	WEL STEL (mg/m ³)	WEL STEL (ppm)	Regulatory reference			
0.5 mg/m ³	1.5 mg/m ³	0.3 ppm	EH40/2005 (Third edition, 2018). HSE			

8.2 Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

SEALTEC AG

SEALTEC 1291

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Hand protection	: protective gloves.
Eye protection	: Safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
Environmental exposure controls	: Avoid release to the environment.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties			
Physical state	:	Liquid	
Appearance	:	Clear, colorless liquid	
Colour	:	Pale yellow	
Odour	:	sharp. Irritating	
Odour threshold	:	No data available	
pH	:	Not applicable	
Relative evaporation rate (butylacetate=1)	:	No data available	
Melting point	:	-22°C	
Freezing point	:	No data available	
Boiling point	:	> 200°C	
Flash point	:	80-93.4°C (Method: Tag closed Cup)	
Auto-ignition temperature	:	485°C	
Decomposition temperature	:	Not applicable	
Flammability (solid, gas)	:	Not applicable	
Vapour pressure	:	Less than 0.2 mmHg	
Relative vapour density at 20 °C	:	3	
Relative density	:	1.1 g/cm ³	
Solubility	:	Polymerizes in presence of water	
Log Pow	:	Not applicable	
Viscosity, kinematic	:	No data available	
Viscosity, dynamic	:	400~600 cPs	
Explosive properties	:	Product is not explosive	
Oxidising properties	:	Product is not oxidizing	
Explosive limits	:	Product is not explosive	

9.2 Other information

No additional information available

10. Stability and reactivity

10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2 Chemical stability

Aegeristrasse 50 CH-6300 Zug/Switzerland



SEALTEC 1291

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4 Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5 Incompatible materials

No additional information available

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Information on toxicological effects		
Acute toxicity (oral)	:	Not classified
Acute toxicity (dermal)	:	Not classified
Acute toxicity (inhalation)	:	Not classified
Skin corrosion/irritation	:	Causes skin irritation
Serious eye damage/irritation	:	Causes serious eye irritation
Respiratory or skin sensitisation	:	Causes serious eye irritation
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
STOT-single exposure	:	May cause respiratory irritation
STOT-repeated exposure	:	Not classified
Aspiration hazard	:	Not classified

12. Ecological information

12.1 Toxicity

 ····,				
Ecology - general	:	The product is not considered harmful to aquatic organisms nor to cause long- term adverse effects in the environment.		
Acute aquatic toxicity	:	Not classified		
Chronic aquatic toxicity	:	Not classified		

12.2 Persistence and degradability

No additional information available

12.3 Bioaccumulative potential

No additional information available

12.4 Mobility in soil

Aegeristrasse 50 CH-6300 Zug/Switzerland



SEALTEC 1291

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

No additional information available

No additional information availa	able						
12.6 Other adverse effects							
No additional information availa	No additional information available						
Disposal considerations							
Waste treatment methods	: Dispose of contents/container	r in accordance with licensed collect					
	sorting instructions						
Transport information							
•							
ADR	IMDG	IATA					
I4.1 UN number							
3334	3334	3334					
4.2 UN proper shipping name							
Not dangerous goods	Not dangerous goods	Aviation regulated liquid, n.o.s. (Cyanoacrylate)					
		(Cydnoderynde)					
4.3 Transport hazard class(es)							
Not applicable	AIIIIA	AIIIN					
	9	9					
4.4 Packing group							
Not applicable	Not applicable	Ш					
4.5 Environmental hazards							
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : N					
4.6 Special precautions for use	er						
Overland transport (ADR)							
Transport regulations	: Not subject						
Classification code	: M11						
EAC code	: 2Z						
Transport by sea (IMDG) Special provisions	: 960						
	: 960						

SEXLTEC AG

SEALTEC 1291

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

Properties and observations	:	Not subject to the provisions of this Code
Air transport (IATA)		
PCA Excepted quantities		E1
PCA Limited quantities		Y964
PCA limited quantity max net quantity		30kg
PCA packing instructions		964
PCA max net quantity		100L
CAO packing instructions		964
CAO max net quantity		220L
Special provisions		A27
ERG code		9A

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2 National regulations

No additional information available

15.2 Chemical safety assessment

No chemical safety assessment has been carried out

16. Other information

Full text of H- and EUH-statements:	Full text of H- and EUH-statements:			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1			
Carc. 2	Carcinogenicity, Category 2			
Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Muta. 2	Germ cell mutagenicity, Category 2			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
Skin Sens. 1	Skin sensitisation, Category 1			
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation			
H302	Harmful if swallowed.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction			
Eye Irrit. 2 Muta. 2 Skin Irrit. 2 Skin Sens. 1 STOT SE 3 H302 H315	Serious eye damage/eye irritation, Category 2 Germ cell mutagenicity, Category 2 Skin corrosion/irritation, Category 2 Skin sensitisation, Category 1 Specific target organ toxicity — Single exposure, Category 3, Respiratory irritation Harmful if swallowed. Causes skin irritation.			



Revision: 21380 EN003 Revision Date: April 5, 2020

SEALTEC 1291

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

H318		Causes serious eye damage.
H319		Causes serious eye irritation.
H335		May cause respiratory irritation.
H341		Suspected of causing genetic defects
H351		Suspected of causing cancer.
H400		Very toxic to aquatic life.
EUH202		Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
EUH208		Contains HYDROQUINONE(123-31-9). May produce an allergic reaction.
Manufacturer: SEALTEC AG Aegeristrasse 50, CH-6300 Zug, Switzerland Document create date: April 5, 2020		
)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.